

GNU/Linux Administration - Support #681

Setup Bluetooth Headphones on Arch

10/19/2015 06:16 PM - Daniel Curtis

Status:	Closed	Start date:	10/19/2015
Priority:	Normal	Due date:	
Assignee:	Daniel Curtis	% Done:	100%
Category:	Workstation	Estimated time:	0.50 hour
Target version:	Arch Linux	Spent time:	1.00 hour

Description

This is a guide on how I got a pair of bluetooth stereo headphones on Arch Linux.

Prepeare the Environment

- Make sure the system is up to date:

```
pacman -Syu
```

- Install a few dependencies:

```
pacman -S pulseaudio-alsa pulseaudio-bluetooth bluez bluez-libs bluez-utils bluez-firmware bluez-hid2hci pavucontrol
```

- Start the bluetooth service:

```
systemctl start bluetooth
```

- Put the [bluetooth headphones into pairing mode](#).
- Use the bluetoothctl command line utility to pair and connect:

```
bluetoothctl
```

- Turn on the bluetooth adapter on the Arch computer, and enable scanning:

```
power on
agent on
default-agent
scan on
```

- Pair with a device:

```
pair 1B:05:12:11:24:B4
trust 1B:05:12:11:24:B4
connect 1B:05:12:11:24:B4
```

NOTE: I had problems with the audio sink automatically being set as the default device. So I just use pavucontrol to set where the audio output goes.

Resources

History

#1 - 10/21/2015 06:54 PM - Daniel Curtis

- Category set to Workstation
- Assignee set to Daniel Curtis
- Target version set to Arch Linux

#2 - 11/24/2015 03:04 PM - Daniel Curtis

- Description updated
- Status changed from New to Resolved
- % Done changed from 0 to 100
- Estimated time set to 0.50 h

#3 - 11/27/2015 03:49 PM - Daniel Curtis

- Status changed from Resolved to Closed

#4 - 05/13/2016 05:50 PM - Daniel Curtis

- Subject changed from Adding Bluetooth Headphones on Arch to Setup Bluetooth Headphones on Arch