

GNU/Linux Administration - Support #707

Setup Ruby on Rails Development Environment on Arch

12/05/2015 04:20 PM - Daniel Curtis

Status:	Closed	Start date:	12/06/2015
Priority:	Normal	Due date:	
Assignee:	Daniel Curtis	% Done:	100%
Category:	Web Server	Estimated time:	1.00 hour
Target version:	Arch Linux	Spent time:	4.00 hours

Description

This is a guide on how I setup my Ruby on Rails development environment to create a new RoR web application on Arch Linux.

Prepare the Environment

- Make sure the system is up to date:

```
sudo pacman -Syu
```

- Install a few dependencies:

```
sudo pacman -S ruby nodejs npm python2
```

- Install [yaourt](#)

- Add bob to the sudo group:

```
sudo usermod -aG sudo bob
```

- Enable systemd-timesyncd:

```
sudo systemctl enable systemd-timesyncd
sudo systemctl start systemd-timesyncd
```

Install Multi-user RVM

- Imports the RVM signing key:

```
sudo gpg2 --keyserver hkp://keys.gnupg.net --recv-keys 409B6B1796C275462A1703113804BB82D39DC0E3
```

- **NOTE:** If that fails run the following:

```
curl -sSL https://rvm.io/mpapis.asc | sudo gpg2 --import -
```

- Download and install rvm as the **bob** user:

```
curl -L get.rvm.io | sudo bash -s stable
```

- After the script has finishes edit the ~/.bashrc file:

```
nano ~/.bashrc
```

- Then add the following line to the end of the file

```
[[ -s "/usr/local/rvm/scripts/rvm" ]] && source "/usr/local/rvm/scripts/rvm"
```

- Add bob to the rvm group:

```
sudo usermod -aG rvm bob
```

- **Logout** and then **login** again for the group changes to take effect.

- Check any missing requirements for RVM:

```
rvm requirements
```

Install Ruby

- List the known available ruby versions:

```
rvm list known
```

- Install Ruby 2.2:

```
rvm install 2.2
```

- Install the rails gem:

```
gem install rails
```

- (Optional) Install libv8:

```
gem install libv8 -- --with-system-v8
```

Create a New Web Application

- Create the new Ruby on Rails web application:

```
rails new new_app
```

- Install the new web applications dependencies:

```
bundle install --path vendor/bundle
```

- Start the rails development web server:

```
bundle exec rails s
```

- **NOTE:** The development web server bind the IP address to the localhost by default, so accessing it over the network will not work. To allow network access to the development web server:

```
bundle exec rails s -b 0.0.0.0
```

Resources

- https://wiki.archlinux.org/index.php/Ruby_on_Rails
- https://wiki.archlinux.org/index.php/RVM#Multi-user_installation

History

#1 - 12/08/2015 09:23 AM - Daniel Curtis

- Description updated
- Status changed from New to In Progress
- % Done changed from 0 to 50

#2 - 12/08/2015 09:32 AM - Daniel Curtis

- Description updated

#3 - 12/08/2015 12:12 PM - Daniel Curtis

- Description updated
- % Done changed from 50 to 60

#4 - 12/09/2015 09:32 AM - Daniel Curtis

- Description updated
- % Done changed from 60 to 70

#5 - 12/09/2015 10:25 AM - Daniel Curtis

- Description updated
- % Done changed from 70 to 100

#6 - 12/09/2015 10:54 AM - Daniel Curtis

- Description updated
- Status changed from In Progress to Resolved

#7 - 02/20/2016 07:15 PM - Daniel Curtis

- Status changed from Resolved to Closed

#8 - 07/07/2016 11:14 PM - Daniel Curtis

- Description updated

#9 - 07/07/2016 11:25 PM - Daniel Curtis

- Description updated

#10 - 07/07/2016 11:26 PM - Daniel Curtis

- Description updated

#11 - 07/08/2016 07:45 PM - Daniel Curtis

- Description updated

#12 - 07/09/2016 03:53 PM - Daniel Curtis

- Description updated

#13 - 07/09/2016 03:57 PM - Daniel Curtis

- *Description updated*

#14 - 07/09/2016 03:58 PM - Daniel Curtis

- *Description updated*

#15 - 07/09/2016 05:17 PM - Daniel Curtis

- *Description updated*

#16 - 07/13/2016 06:06 AM - Daniel Curtis

- *Description updated*

#17 - 07/15/2016 09:03 PM - Daniel Curtis

- *Description updated*

#18 - 07/15/2016 09:49 PM - Daniel Curtis

- *Description updated*